

BEI

DAILY AERIAL LIFT INSPECTION (BOOM OR SCISSOR)

JOB FOREMAN: _____ JOB NUMBER: _____ DATE: ___/___/___

ALL SAFETY HARNESES AND AERIAL LIFTS WILL BE INSPECTED DAILY BY THE BEI TRAINED AND COMPETENT PERSON OPERATING THEM. SAFETY HARNESES AND AERIAL LIFTS WILL BE INSPECTED PER THE MANUFACTURES INSPECTION FORM LOCATED INSIDE THE HARNESS BAG THAT'S ISSUED OR THE WEATHER COMPARTMENT ON THE LIFT. THIS PAPER MUST BE TURNED INTO THE JOB FOREMAN DAILY OR WEEKLY. IF THE SAFETY HARNESS OR AERIAL LIFT DOES NOT MEET THE INSPECTION CRITERIA THEN TAG IT OUT OF SERVICE, AND TAKE THE SAFETY HARNESS OR AERIAL LIFT KEY IMMEDIATELY TO THE JOB FOREMAN SO IT CAN BE REPLACED OR REPAIRED. NEVER USE OR OPERATE A SAFETY HARNESS OR AERIAL LIFT THAT DOES NOT PASS INSPECTION.

EQUIPMENT INSPECTION CHECKLIST	
TYPE OF LIFT (SCISSOR OR BOOM):	
EQUIPMENT ID NUMBER:	
INSPECTION ITEM & DESCRIPTION	

1	EMERGENCY CONTROLS ARE IN PROPER WORKING CONDITION
2	PLATFORM CONTROLS, INTERLOCK MECHANISMS ARE FUNCTIONAL
3	ALL CONTROLS FUNCTION PROPERLY AND ARE LABELED
4	LOWER OPERATING CONTROLS SUCCESSFULLY OVER-RIDE THE UPPER CONTROLS
5	BOTH UPPER AND LOWER CONTROLS ARE ADEQUATELY PROTECTED FROM INADVERTENT OPERATION
6	STABILIZERS, OUTRIGGERS AND EXTENDING AXLE FUNCTIONS PROPERLY
7	ALL SWITCH AND MECHANICAL GUARDS ARE IN GOOD CONDITION AND PROPERLY INSTALLED
8	ALL SAFETY INDICATOR LIGHTS WORK PROPERLY AND MOTION ALARMS ARE FUNCTIONAL
9	MANUFACTURERS DECALS ARE IN PLACE AND LEGIBLE
10	ALL GUARD RAILS AND ANCHOR POINTS ARE SOUND AND IN PLACE, BASKET INCLUDING CHAINS/GATES.
11	FIRE EXTINGUISHER ON PLATFORMS
12	TIRES, WHEELS, LUG NUTS IN GOOD CONDITION
13	BRAKING DEVICES ARE OPERATING PROPERLY
14	MANUFACTURERS OPERATION MANUAL AND ANSI STORED ON THE LIFT

COMMENTS: _____

